

### INDEX TO VOLUME

A		В	
	Page		Page
		Dameste W D A Drammer W Dlam and	
Absorption of integral waterproofed concrete	1147	Barrows, W. P., A. Brenner, W. Blum and,	
containing calcium chloride	1147	The porosity of electroplated chromium	00#
Absorption of integral waterproofed concrete		coatings	697
containing calcium chloride plus miscel-		Beacon, directive radio, use of reed converter	
laneous materials	1147	in blind landing of aircraft	147
Absorption of integral waterproofed concrete		double modulation type as used with reed	
containing finely subdivided materials	1147	converter visual course indicator	147
Absorption of integral waterproofed concrete		runaway localizer type used with zero center	
	1147		147
containing hydrated lime plus soaps	1147	type course indicator	141
Absorption of integral waterproofed concrete		visual range, and simultaneous radiotele-	001
containing miscellaneous materials	1147	phone for the airways	261
Absorption of integral waterproofed concrete		Beacons, radio range, theory of design and	
containing soaps	1147	calibration of reed indicators	195
Absorption of surface waterproofed concrete		Bean, Howard S., M. Benesh, and Edgar	
	1147	Buckingham, Experiments on metering of	
coated with asphalt emulsions	1141		0.2
Absorption of surface waterproofed concrete		large volumes of air	93
coated with bituminous solutions	1147	Benesh, M. E., Edgar Buckimgham, Howard	
Absorption of surface waterproofed concrete		S. Bean and, Experiments on metering of	
coated with cement coatings	1147	large volumes of air	93
Absorption of surface waterproofed concrete		Benzoic acid, expansion of solid	903
coated with finely-ground iron	1147	Bicking, George W., Merle B. Shaw, Royal H.	
	1111		
Absorption of surface waterproofed concrete	1147	Rasch and, Highly purified wood fibers as	765
coated with paints and varnishes	1147	paper-making material	765
Absorption of surface waterproofed concrete		Blends, gasoline-benzol, thermal expansion of	****
coated with transparent coatings	1147	sion of	1133
Absorption, water, by cast stones	1067	Blum, W., W. P. Barrows, and A. Brenner,	
Absorption spectra, carotin and xanthophyll_	171	The porosity of electroplated chromium	
Absorption spectra of cyclohexane	607	coatings	697
Absorption spectrum, infra-red, of methyl-	00.	Boeckner, C., F. L. Mohler and, Radiation	
	700	from probe services bemberded by elec	
cyclopentane	799	from probe surfaces bombarded by elec-	7771
of n-nonane	907	trons	751
Accelerated aging test for paper	453	Boiling point apparatus, continuous	851
Acid, benzoic, expansion of solid	903	Bolt locks, torque and stress	945
	395	Bolts, stresses in	945
Acids, effect of, on silk		Book papers, permanence studies of current	
saturated ammonium chloride in the elim-		commercial	429
ination of contact potentials	713		120
Aircreft gridenes of to siment by use of	110	Brauns, D. H., Optical rotation and atomic	
Aircraft, guidance of, to airport by use of		dimensions—halogens-tetracetyl deriva-	
timed reed converter	147	tives of manose. Their configurational	
navigation of, in fog by radio	147	pecularities	573
Aircraft beacon, pointer type course indicator		Brenner, A., W. P. Barrows, W. Blum and,	
for	147	The porosity of electroplated chromium	
use of reed converter with	147	coatings	697
Aircraft instruments, use of, in blind flying		Brickwedde, F. G., J. W. Cook, R. B. Scott	
and landing by radio.	147	and, Silvering and evacuating Pyrex Dewar	
combination of	147		935
combination of	111	flasks	300
Aircraft-radio receivers, automatic-volume	08	Brooks, H. B., Design of standards of induct-	
control for	37	ance, and the proposed use of models in the	
Air-core and iron-core reactors, proposed use		design of air-core and iron-core reactors	289
of models in the design of	289	Bruun, Johannes, H., and Mildred M. Hicks-	
Airports, reed converter and pointer type	_	Bruun, Isolation and determination of the	
course indicator for guiding aircraft to, in		cyclohexane in a midcontinent petroleum	607
fog	147	—, Mildred M. Hicks-Bruun and, Isolation	00.
	121		
Airways, simultaneous radiotelephone and	001	and determination of methyl-cyclopentane	700
visual range beacon for	261	in a midcontinent petroleum.	799
Alkali cyanide, determination of	913	-, and Sylvester T. Schicktanz, Laboratory	
Alkalies, effect of, on silk	1179	rectifying stills of glass	851
Alloys, heat resisting, thermal expansion of.	1031	Bubbling cap stills of glass	851
iron-chromium, thermal expansion of	1031	Buckingham, Edgar, M. E. Benesh, Howard	
nickel-chromium-iron, thermal expansion	1001	S. Bean and, Experiments on metering of	
	1021	lorge relumes of sir	02
of	1031	large volumes of air	93
nickel-chromium, thermal expansion of	1031	Burton, John O., Permanence studies of	400
Ammonia, determination of, in silver-plating		current commercial book papers	429
solutions	913	Butanol as a solvent for shellac	1105
effect of, on Liebig titration	913		
Analysis of cyanide silver-plating solutions	913	C	
Apparatus for vacuum fusion determinations.	375		
Apparent and partial molal heat capacities in	010	Calcium silicate, di-, effect on decomposition	
aqueous solutions of 19 uni-univalent elec-			893
	427	Calcium silicate, tri-, decomposition of, by	090
trolytes	47	Calcium silicate, tri-, decomposition of, by	000
Application of surface waterproofing ma-		heat	893
terials	1147	Caldwell, Frank, E. L. Hall, A. B. Lewis and,	
Aqueous solutions as quenching media for		Some electrical properties of foreign and	
steels	555	domestic micas, and the effect of elevated	
Atomic dimensions, optical rotation and	573	temperatures on micas	403
Audio-frequency generator, an improved	691	Calibration of reed indicators	195
Automatic recorder for Kennelly-Heaviside	031		100
layer heights	783	Camphor, cryoscopic constant, heat fusion,	447
A viation gosoling thermal avenagion of		and heat capacity of	329
A viation gasoline, thermal expansion of	1133 '	Carbon monoxide, heat of combustion of	329

Carbon steel, thermomagnetic investigation of tempering of quenched 0.75 per cent			Page
of tempering of quenched 0.75 per cent		Cracked gasolines, thermal expansion of	1133
	441	Cragoe, C. S., and E. E. Hill, Thermal expan-	
Carbon steels, resistance to wear of	419	sion of gasoline from 0° to 30° C	1133
Carbonate, determination of, in silver-plating		Cryoscopic constant, heat of fusion, and heat	
solutions	913	capacity of camphor	477
effect of, on Liebig titration of cyanide	913	Crystallization of <i>n</i> -nonane from petroleum.	907
Carlson, E. T., The decomposition of trical-		Curtiss, L. F., A new apparatus for preparing	00,
cium silicate in the temperature range	}	Ra B + C sources	215
1,000°-1,300° C	893	Ra B + C sources.  Cyanide, determination of, in silver-plating	210
Carrol, Burt H., and Donald Hubbard, The	000	galutions	010
photographic emulsion; the silver ion-gelatin		solutions	913
	011	free, determination of	913
equilibrium	811	Cyanide silver-plating solutions, analysis of	913
Carotin, absorption spectra	171	Cyanide, total, determination of	913
Carotin and xanthophyll, visible and ultra-		total effective, determination of	913
violet absorption spectra of	171	Cylinder, elastic problem of a wire-wound	331
Carroll, Burt H., and Donald Hubbard, The		Cyclohexane, isolation of, from petroleum	607
photographic emulsion: After-ripening	219	physical properties of	607
Cast iron, corrosion of, underground	1	physical proporties of	001
Cast steel, corrosion of, underground.	î	D	
Cast stone, absorption of water by	1067	Davis-Gibson filters	791
		Davies, G. L., Theory of design and calibra-	
compressive strength of	1067	tion of vibrating reed indicators for radio	
cross-bending strength of	1067		105
durability of, exposed to weathering	1067	range beacons	195
freezing and thawing tests of	1067	Davis, Raymond, A correlated color tempera-	
modulus of elasticity of	1067	ture for illuminants	659
weathering resistance of	1067	, and Gerald Kent Neeland, An experi-	
Cathode rays, measurement of	57	mental study of several methods of repre-	
Cellosolve as a solvent for shellac	1105	senting photographic sensitivity	495
Chestnut and quembracho tanned leathers,		,, Variation of photographic sensi-	
hydrolysis of, by sulphuric acid	621	tivity with different light sources	843
	021	-, and K. S. Gibson, The relative spectral	010
Chloride, determination of, in silver-plating	012	energy distribution and correlated color	
solutions	913		
effect of, on Liebig titration.	913	temperature of the N. P. L. white-light	701
use of saturated ammonium, in the elimina-		standard	791
tion of contact potentials	713	deBruin, T. L., C. J. Humphries, Wm. F.	
Chloro-hepta-acetyl-4-glucoside-mannose	1115	Meggers and, Further description and	
Chlorosulphonic acid treatment of n-nonane.	907	analysis of the first spectrum of krypton	643
Chromium coatings, the porosity of elec-	i	Decomposition of tricalcium silicate by heat	893
troplated	697	DeLavand cast iron, corrosion of	1
Chromium iron, corrosion of, underground	1	Denison, I. A., Correlation of certain soil	
Clays, plastic flow of	1017	characteristics with pipe line corrosion	631
		Density change of gasoline with temperature.	1133
sagger	1017	Depreciation of underground pipes	1
Cleveland, Richard S., Homer A. Hamm and,			195
Relation between the twist and certain		Design of reed indicators	375
properties of rayon yarns	617	Determination of gases in irons and steels	
Cobalt, determination of, in steel	883	Determination of gases in metals	375
Coblentz, W. W., R. Stair, and J. M. Hogue,		Determination of nitrogen in metals	375
		Determination of oxygen in metals	375
A paranced mermocouple and mile method			
A balanced thermocouple and filter method of ultra-violet radiometry with practical		Development, effect on sensitivity	495
of ultra-violet radiometry with practical	723	Development, effect on sensitivity Devices, locking	495 945
of ultra-violet radiometry with practical applications	723 1133	Development, effect on sensitivity Devices, locking	
of ultra-violet radiometry with practical applications  Coefficient of expansion of gasoline	1133	Development, effect on sensitivity  Devices, locking  Deviometer, use of, with tuned-reed con-	
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzoic acid.	1133 903	Development, effect on sensitivity  Devices, locking  Deviometer, use of, with tuned-reed converter and zero center pointer type radio	
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791	Development, effect on sensitivity Devices, locking Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator	945
of ultra-violet radiometry with practical applications.  Coefficient of expansion of gasoline	1133 903 791 659	Development, effect on sensitivity Devices, locking Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator Dewar flasks, silvering and evacuating	945
of ultra-violet radiometry with practical applications.  Coefficient of expansion of gasoline.  Coefficient of expansion of solid benzoic acid.  Color temperature.  Color temperature for illuminants.  Colorimetric computation.	1133 903 791 659 85	Development, effect on sensitivity Devices, locking	945 147 935
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzoic acid. Color temperature Color temperature for illuminants Colorimetric computation Colorimetric purity	1133 903 791 659	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.	945
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline. Coefficient of expansion of solid benzoic acid. Color temperature. Color temperature for illuminants. Colorimetric computation. Colorimetric purity. Combined instrument, use of, in flying and	1133 903 791 659 85 827	Development, effect on sensitivity Devices, locking Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator Dewar flasks, silvering and evacuating Dicalcium silicate, effect of, on decomposition of tricalcium silicate Dielectric constant of foreign and domestic	945 147 935 893
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827	Development, effect on sensitivity Devices, locking Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator Dewar flasks, silvering and evacuating Dicalcium silicate, effect of, on decomposition of tricalcium silicate Dielectric constant of foreign and domestic	945 147 935
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147	Development, effect on sensitivity Devices, locking Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator  Dewar flasks, silvering and evacuating Dicalcium silicate, effect of, on decomposition of tricalcium silicate Dielectric constant of foreign and domestic micas  Dielectric strength of foreign and domestic	945 147 935 893 403
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.	945 147 935 893
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzole acid. Color temperature	1133 903 791 659 85 827 147 1147 1147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion	945 147 935 893 403
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.	945 147 935 893 403
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for de-	945 147 935 893 403 403
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 1147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.	948 147 938 893 403 403 903
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzoic acid. Color temperature	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.	945 147 935 893 403 403 903 147 855
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.	948 147 938 893 403 403 903
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.	948 147 938 893 403 403 903 141 85, 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of petroleum fractions con-	945 147 935 893 403 403 903 147 855
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane.	948 147 938 893 403 403 903 141 85, 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzole acid. Color temperature	1133 903 791 659 85 827 147 1147 1147 713	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in	948 147 938 893 403 403 903 147 853 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in	948 147 938 893 403 403 903 141 85, 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore. F. W., A course indicator of	948 147 938 893 403 403 903 147 853 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783	Development, effect on sensitivity.  Devices, locking.  Devices and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-	948 147 938 898 403 403 403 900 799 144
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio rangebeacon system.	948 147 938 893 403 403 903 147 853 907
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of petroleum fractions containing methylcyclopentane.  Difft, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system.  Durability of cast stone exposed to weather-	948 141 938 898 403 403 903 144 855 907 798 144
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio rangebeacon system.	948 147 938 898 403 403 403 900 799 144
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.	948 141 938 898 403 403 903 144 855 907 798 144
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of petroleum fractions containing methylcyclopentane.  Difft, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system.  Durability of cast stone exposed to weather-	948 141 938 898 403 403 903 144 855 907 798 144
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.	948 147 938 898 403 403 903 144 85 907 144 144 1067
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio rangebeacon system.  Durability of cast stone exposed to weathering.	948 147 938 898 403 403 903 144 855 907 799 144 1063
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog. Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.	948 147 938 898 403 403 903 144 85 907 144 144 1067
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631 1	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog. Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.	948 147 938 898 408 408 908 144 85 907 799 144 1068
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 147 935 913 1133 631 1	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzeic acid by means of a gas-filled.  Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system.  Durability of cast stone exposed to weathering.  Elastic problem of a wire-wound cylinder  Elasticity, modulus of, for clays at different	948 147 938 898 403 403 903 144 855 907 799 144 1063
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631 1 1	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dialtometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog. Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.  Efficiency tests of laboratory stills. Elastic problem of a wire-wound cylinder. Elasticity, modulus of, for clays at different temperatures.	948 147 938 898 408 408 908 144 85 907 799 144 1068
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631 1 1 1 1 945	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio rangebeacon system.  Durability of cast stone exposed to weathering.  E  Efficiency tests of laboratory stills.  Elastic problem of a wire-wound cylinder.  Elasticity, modulus of, for clays at different temperatures.  Electrolytic copper determination.	948 147 938 898 403 403 903 144 855 907 799 14' 1066 85 33
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631 1 1 1 945	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.  Elesticity, modulus of, for clays at different temperatures. Electrolytic copper determination. Electrolytic silver determination.	948 147 938 898 408 408 909 144 85 907 799 144 1067 85 33
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline Coefficient of expansion of solid benzoic acid. Color temperature Color temperature for illuminants Colorimetric computation Colorimetric purity Combined instrument, use of, in flying and landing aircraft in fog Composition of integral waterproofings Compositions of surface waterproofings Contact potentials, use of saturated ammonium chloride in the elimination of. Continuous automatic recorder for Kennelly-Heaviside layer heights. Converter, tuned reed, application of, to the 4 and 12 course radio range beacon. tuned reed type for guiding aircraft on the course of the double modulation type radio range beacon.  Cook, J. W., F. G. Brickwedde, R. B. Scott and, Silvering and evacuating Pyrex Dewar flasks. Copper, determination of, in silver-plating solutions Copper bearing steel, corrosion of, underground. Correction factors, volume, for gasoline Corrosion, correlation of certain soil characteristics with pipe line soil underground. underground. underground. course, radio range automatic guidance on, by radio	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 1133 631 1 1 1 945 147	Development, effect on sensitivity.  Devices, locking.  Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator.  Dewar flasks, silvering and evacuating.  Dicalcium silicate, effect of, on decomposition of tricalcium silicate.  Dielectric constant of foreign and domestic micas.  Dielectric strength of foreign and domestic micas.  Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft.  Distillation in rectifying stills of glass.  Distillation of n-nonane from petroleum.  Distillation of petroleum fractions containing methylcyclopentane.  Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system.  Durability of cast stone exposed to weathering.  Efficiency tests of laboratory stills.  Elastic problem of a wire-wound cylinder.  Elasticity, modulus of, for clays at different temperatures.  Electrolytic copper determination.  Electrorytic silver determination.  Electrorytic silver determination.  Electrorytic silver determination.	948 147 938 898 403 403 903 144 855 907 799 14' 1066 85 33
of ultra-violet radiometry with practical applications. Coefficient of expansion of gasoline	1133 903 791 659 85 827 147 1147 713 783 147 147 935 913 631 11 11 945 147	Development, effect on sensitivity. Devices, locking. Deviometer, use of, with tuned-reed converter and zero center pointer type radio range course indicator. Dewar flasks, silvering and evacuating. Dicalcium silicate, effect of, on decomposition of tricalcium silicate. Dielectric constant of foreign and domestic micas. Dielectric strength of foreign and domestic micas. Dilatometer, coefficient of cubical expansion of solid benzoic acid by means of a gas-filled. Direction, a visual radio method for determining of, on aircraft. Distillation in rectifying stills of glass. Distillation of n-nonane from petroleum. Distillation of petroleum fractions containing methylcyclopentane. Drift, a method of detecting, on aircraft in fog.  Dunmore, F. W., A course indicator of pointer type for the visual radio range-beacon system. Durability of cast stone exposed to weathering.  Elesticity, modulus of, for clays at different temperatures. Electrolytic copper determination. Electrolytic silver determination.	948 147 938 898 408 408 408 799 14' 1067 85 33 101 91' 91'

	Page	H	Page
Electron current, measurement of	57	Hall E T Enamle Caldenall A D Tamia and	
Electron scattering	57	Hall, E. L., Frank Caldwell, A. B. Lewis and,	
Electrons, radiation from probe surfaces bom-		Some electrical properties of foreign and	
barded by	751	domestic micas, and the effect of elevated temperatures on micas.	403
Electroplated chromium coatings, the poros-	697	Hamill, T. E., Aqueous solutions of ethylene,	400
ity of	097	glycol, glycerin, and sodium silicate as	
vestigation of tempering of quenched 0.75		quenchiug media for steels	555
per cent carbon steel	441	Hamm, Homer A., and Richard S. Cleveland.	
Emanation pipette	215	Relation between the twist and certain	
Emulsion making, photographic	219	properties of rayon yarns	617
Equilibrium melting used in isolation of		Hannay method for alkali cyanide	913
methylcyclopentane	799	Harris, Milton, and Daniel A. Jessup, The	
Eutectic mixture of methycyclopentane and		effect of pH on the photochemical decom-	1150
n-hexane	799	position of silk————————————————————————————————————	1179
Ethylcyclobutane, physical constants of	799	metter in shellor	1105
Ethylene chloride	851	matter in shellac	1105
Ethylene glycol as quenching media for steels-	555	Heat capacities, molal, apparent and partial.	893
Excitation data, interpolation of	85	in aqueous solutions of 19 uni-univalent elec-	
Expansion, thermal, gasoline	1133	_trolytes	47
iron-chromium alloysheat-resisting alloys	1031	Heat of combustion of carbon monoxide	329
nickel-chromium alloys.	1031	Heat of combustion of methane	329
nickel-chromium-iron alloys	1031	Heat of formation of water	329
Evacuating and silvering Pyrex Dewar	1001	Heat-resisting alloys, thermal expansion of	1017
flasks	935	Heaton, Vincent E., and E. G. Lapham,	
		Quartz, plate mountings and temperature	
F		control for piezo oscillators	583
		Heindl R. A., and L. E. Mong, The life of the	
Factors, volume correction, for gasolines	1133	sagger as affected by varying certain prop-	1017
Fabrication of integral waterproofed concrete	0.0	Hepta-acetyl-4-glucosideo-mannose	1017
specimens	913	Hexa-acetyl-4-glucosideo-mannose	1115 111 <b>5</b>
Fabrication of surface waterproofed concrete	012	Hepta-acetyl-4-glucosido-methyl-mannosides	1110
specimens.	913 57	Hicks-Brunn, Mildred M., Johannes H. Bruun	
Faraday chamber, collector for cathode rays.	945	and, Isolation and determination of the	
Fastenings for screw threadsFerrocyanide, determination of, in silver-	940	cyclohexane in a midcontinent petroleum	607
plating solutions	913	— and Johannes II. Bruun. Isolation and	
effect of, on Liebig titration of cyanide	913	determination of methylcyclopentane in a	
Fiber elongation, maximum of fired sagger		midcontinent petroleum	799
clay bodies	1017	Hidnert, Peter, Thermal expansion of heat-	
Filters, Davis-Gibson	791	resisting alloys (nickel-chromium, iron-	
Flasks, Dewar, silvering and evacuating	935	chromium, and nickel-chromium-iron al-	
Pyrex, silvering and evacuating	935	loys) Highly purified wood fibers as paper-making	1031
Fog, combined course indicating instrument	H	material	765
for flying and landing aircraft in	147	High tensile cast iron, corrosion of, under-	
instrument flying in	147	ground	1
instrument for flying and landing aircraft	147	Hill, E. E., C. S. Cragoe and, Thermal expan-	
navigation in, by radio	147	sion of gasoline from 0° to 30° C	1133
use of reed converter with pointer type	7.71	Hinman, jr., W. S., Automatic volume con-	
course indicator for guiding aircraft in	147	trol for aircraft radio receivers	37
Frandsen, Mikkel, cryoscopic constant, heat		Hoffman, James I., The use of zinc oxide in	
of fusion, and heat capacity of camphor	477	determinations of cobalt and manganese	883
Free cyanide, determination of, in silver-		Hogue, J. M., R. Stair, W. W. Coblentz and, A	
plating solutions	913	balanced thermocouple and filter method of	
electrometric determination of	913	ultra-violet radiometry with practical appli-	723
Freezing and thawing tests of cast stone	1067	cations Holding forces of nuts	945
Friction of screw threads	945	Hubbard, Donald, Burt H. Carrroll and, The	
G		photographic emulsion: After-ripening	
ď		—, —, The photographic emulsion; the	
Gas, passage of, through walls of pyrometer		silver ion-gelatin equilibrium	811
protection tubes at high temperatures	485	Humphreys, C. J., T. L. deBruin, Wm. F.	
Gasoline, thermal expansion of	1133	Meggers and, Further description and analy-	
Generator, an improved audio-frequency	691	sis of the first spectrum of krypton	
Gelatin	811	—, Hyperfine structures in the first spectra	
Gibson, K. S., Raymond Davis and, The rela-		of krypton and xenon	453
tive spectral energy distribution and corre-		Hydrocarbonsisolation of methylcyclopentane from petro-	
lated temperature of the N. P. L. white-	701	leum	
Gilliland, T. R., and G. W. Kenrick, Prelimi-	791	n-nonane from petroleum	
nary note on an automatic recorder giving a		Hydroxide, alkali, effect of, on Liebig titra-	
continous height record of the Kennelly-		tion	
Heaviside layer	783	Hyperfine structures of Kr and Xe	453
-, G. W. Kenrick, and K. A. Norton, Inves-	.00		
tigations of Kennelly-Heaviside layer		I	
heights for frequencies betweem 1,600 and			
8,650 kilocycles per second	1083	Illuminants, a correlated color temperature	0.00
Glasses, solarized ultra-violet transmitting	357	for	659
Glucosido-mannose, derivatives of	1115	Infra-red absorption spectrum of liquid	799
Glycerine as quenching media for steels	555	methylcyclopentane	
Grodsky, V. A., H. K. Logan and, Soil-corro-		Incorporation of integral waterproofings Indicator, dual type, for use on aircraft giving	1141
sion studies, 1930. Rates of corrosion and pitting of bare ferrous specimens	1	horizontal and vertical guidance by radio	147
Gypsum, effect of, on decomposition of tri-	1	signal volume, for reed converter radio	
calcium silicate	893	beacon course	147


Indicator, tuned reed converter type, for			
indicator. Tuned red converter type. Ior		McNicholas, H. J., The visible and ultra-	
guiding aircraft on runway localizer and		violet absorption spectra of carotin and	
radio range course	147	xanthophyll and the changes accompany-	
visual for reception of double modulation	1.47	ing oxidation	17
type radio beacon signals	147 147	Manganese, determination of, in steel	88
zero center, instrument type Indicators, reed, theory of design and calibra-	147	Malleable iron, corrosion of, underground Manose, halogeno-tetraacetyl derivatives of.	57
tion	195	Manostat for stills	85
Inductance, design of standards of	289	Measurement of Lenard rays	5
Interference measurements of Kr and Xe	453	Meggers, Wm. F., T. L. de Bruin, and C. J.	
Interpolation of O. S. A. excitation data	85	Humphreys, Further description and anal-	
Iodine titration for total effective cyanide	913	ysis of the first spectrum of krypton	64
Iron-chromium alloys, thermal expansion of	1031	Mercuric chloride titration of alkali cyanide.	91
Iron-core and air-core reactors, proposed use	000	Mercury, determination of, in silver-plating	01
of models in the design of Iron, determination of, in silver-plating solu-	289	effect of, on total effective cyanide deter-	91
tions	913	minations	913
Isbell, Horace S., Derivatives of 4-glucosido-	313	Mercury electrode, use of, in titration of	311
mannose	1115	alkali cvanide	913
		Methane, heat of combustion of	329
J		Meter, rotary displacement, tests of	93
Tom nuto torque on	045	Venturi, tests of	93
Jam nuts, torque on Jessup, Daniel A., Milton Harris and, The	945	Methylcyclopentane, determination of con-	77.0
effect of pH on the photochemical decom-		tent in petroleum	79
position of silk	1179	eutectic mixture with n-hexane	799 799
Jordan, Louis, H. C. Vacher and, The deter-	2210	infra-red absorption spectrum of isolation from petroleum	799
mination of oxygen and nitrogen in irons		latent heat of fusion	799
and steels by the vacuum-fusion method	375	physical constants of	799
Judd, Deane B., A general formula for the		Mica, some electrical properties of, and the	
computation of cholorimetric purity	827	effect of elevated temperatures on	40
—, Interpolation of the O. S. A. "cxcitation" data by the 6fth difference consideration		Mixture for testing the efficiency of a still	85
tion" data by the fifth-difference osculatory	85	Modulus of clasticity of cast stone.	106
formula	00	Mohler, F. L., and C. Boeckner, Radiation	
waterproofings for concrete	1147	from probe surfaces bombarded by elcc-	PT pr -
Water produings for conference and a series		Moisture, effect of, on decomposition of	75.
K		tricalcium silicate	893
TO THE OWNER OF THE PARTY OF TH		Molal heat capacities, apparent and partial,	030
Kear, F. G., and G. H. Wintermute, A simul-		in aqueous solutions of 19 uni-univalent	
taneous radiotelephone and visual range	261	electrolytes	47
beacon for airways Kennelly-Heaviside layer heights, automatic	201	Mong, L. E., R. A. Heindl and, The life of the	
recorder for	783	sagger as affected by varying certain prop-	
	. 00	erties	1017
investigations of, for frequencies between			1100
investigations of, for frequencies between 1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of	1133
	1083	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of	1133
1,600 and 8,650 kilocycles per second Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside	1083	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimi-	
1,600 and 8,650 kilocycles per second Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600		Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of	713
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of	
1,600 and 8,650 kilocycles per second		Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimi-	
1,600 and 8,650 kilocycles per second		Motor fuels, thermal expansion of	713
1,600 and 8,650 kilocycles per second		Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio	713
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and,	713
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.	1083 783 643	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with	713 607 147
1,600 and 8,650 kilocycles per second	1083 783	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources	713
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.	1083 783 643	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimi- nation of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources , —, An experimental study of several	713 607 147
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.	1083 783 643	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials Napthenese.  Navigation of aircraft in fog by radio. Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources —, An experimental study of several methods of representing photographic sensitivity.	713 607 147
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency	1083 783 643 453	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Necland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources  , An experimental study of several methods of representing photographic	713 607 147 843 498
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency	1083 783 643	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources  —, An experimental study of several methods of representing photographic sensitivity  Nickel-chromium alloys, thermal expansion of	713 607 147 843
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures  L  Lapham, E. G., An improved audio-frequency generator.  Vincent E. Heaton and. Quartz plate	1083 783 643 453	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimi- nation of contact potentials	713 600 140 843 498 1031
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency generator.  —, Vincent E. Heaton and, Quartz plate mountings and temperature control for	783 643 453	Motor fuels, thermal expansion of	713 607 147 843 498 1031
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency generator.  —, Vincent E. Heaton and, Quartz plate mountings and temperature control for piezo oscillators.	1083 783 643 453	Motor fuels, thermal expansion of	713 600 143 843 498 1031 1031 799
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of	713 607 147 843 498 1031 1031 799 907
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of	713 600 143 843 498 1031 1031 799
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources.  ———————————————————————————————————	713 607 147 843 498 1031 1031 799 907
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources.  —, An experimental study of several methods of representing photographic sensitivity.  Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, cutectic, with methylcyclopentane isolation of, from petroleum physical properties of Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600	713 600 147 843 498 1031 1031 799 907
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57	Motor fuels, thermal expansion of.  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese. Navigation of aircraft in fog by radio. Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources.  —, An experimental study of several methods of representing photographic sensitivity.  Nickel-chromium alloys, thermal expansion of.  Nickel-chromium-iron alloys, thermal expansion of.  n-hexane, cutectic, with methylcyclopentane isolation of, from petroleum physical properties of.  Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.	713 607 147 843 498 1031 1031 799 907
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency generator.  —, Vincent E. Heaton and, Quartz plate mountings and temperature control for piezo oscillators.  Leathers, hydrolysis of chestnut and quembracho tanned, by sulphuric acid.  Lenard rays, measurement of.  Lewis, A. B., E. L. Hall, and Frank Caldwell, Some electrical properties of foreign and domestic micas, and the effect of elevated temperatures on micas.	783 643 453 691 583 621 57	Motor fuels, thermal expansion of	713 600 147 843 498 1031 1031 799 907
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese. Navigation of aircraft in fog by radio. Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources. —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of . Nickel-chromium-iron alloys, thermal expansion of . n-hexane, cutectic, with methylcyclopentane isolation of, from petroleum physical properties of . Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second . Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension.	713 607 147 843 496 1031 799 907 907
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, cutectic, with methylcyclopentane. isolation of, from petroleum physical properties of. Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second. Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices	71: 600 14: 843 498 1031 1031 7990 907
1,600 and 8,650 kilocycles per second	1083	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources —, An experimental study of several methods of representing photographic sensitivity Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, eutectic, with methylcyclopentane isolation of, from petroleum physical properties of Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices Nut locks, torque on	713 607 147 843 496 1031 799 907 907
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Gilliland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency generator.  —, Vincent E. Heaton and, Quartz plate mountings and temperature control for piezo oscillators.  Leathers, hydrolysis of chestnut and quembracho tanned, by sulphuric acid.  Lenard rays, measurement of.  Lewis, A. B., E. L. Hall, and Frank Caldwell, Some electrical properties of foreign and domestic micas, and the effect of elevated temperatures on micas.  Liebig method, electrometric titration.  Liebig method for alkali cyanide.  Light, effect of, on silk.  Lime, free, effect of, on decomposition of tri-	783 643 453 691 583 621 57 403 913 913 935	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, cutectic, with methylcyclopentane. isolation of, from petroleum physical properties of. Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second. Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices	713 600 143 843 496 1031 1031 799 907 1083
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913	Motor fuels, thermal expansion of.  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese. Navigation of aircraft in fog by radio. Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources. —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of. Nickel-chromium-iron alloys, thermal expansion of. n-hexane, cutectic, with methylcyclopentane isolation of, from petroleum physical properties of. Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second. Nusbaum, G. W., E. O. Seaguist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices. Nut locks, torque on. Nuts, plain and lock	713 600 143 843 496 1031 1031 799 907 1083
1,600 and 8,650 kilocycles per second.  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second.  —, T. R. Giltiland and, Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer.  Krypton, further description and analysis of the first spectrum of.  Krypton hyperfine structures.  L  Lapham, E. G., An improved audio-frequency generator.  —, Vincent E. Heaton and, Quartz plate mountings and temperature control for piezo oscillators.  Leathers, hydrolysis of chestnut and quembracho tanned, by sulphuric acid.  Lenard rays, measurement of.  Lewis, A. B., E. L. Hall, and Frank Caldwell, Some electrical properties of foreign and domestic micas, and the effect of elevated temperatures on micas.  Liebig method, electrometric titration.  Liebig method for alkali cyanide.  Light, effect of, on silk.  Lime, free, effect of, on decomposition of tricalcium silicate.  Localizer, runway, beacon course indicator.  Lock nuts, torque on.	783 643 453 691 583 621 57 403 913 913 913 9147 945	Motor fuels, thermal expansion of	713 600 147 842 498 1031 1031 7990 907 1083 948 948
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 935 893 147 945 945	Motor fuels, thermal expansion of	713 600 143 496 1031 1031 799 907 907 1083 945
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 913 9147 945	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, cutectic, with methylcyclopentane. isolation of, from petroleum physical properties of. Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second. Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices. Nut locks, torque on. Nuts, plain and lock  O Octa-acetyl-4-glucosido-mannose Optical rotation and atomic dimensions	713 600 147 843 496 1031 1031 799 907 1083 946 945 1116 573
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 935 893 147 945 945	Motor fuels, thermal expansion of	71: 600: 142: 843: 498: 1031: 7990: 907: 1083: 948: 948: 948: 948: 948: 948:
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 913 9147 945 945 945	Motor fuels, thermal expansion of  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials  N  Napthenese Navigation of aircraft in fog by radio Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources , An experimental study of several methods of representing photographic sensitivity Nickel-chromium alloys, thermal expansion of Nickel-chromium-iron alloys, thermal expansion of n-hexane, cutectic, with methylcyclopentane isolation of, from petroleum physical properties of Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices Nut locks, torque on Nuts, plain and lock  O  Octa-acetyl-4-glucosido-mannose Optical rotation and atomic dimensions Optical rotation of the derivatives of mannose. Orifices, discharge coefficients of	713 600 143 498 1031 1033 799 907 907 1083 948 948 948 948 948 948 948 948
1,600 and 8,650 kilocycles per second  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 935 893 147 945 945	Motor fuels, thermal expansion of	71:3 600 14': 843 496 1031 1031 799 907 1083 946 573 1115 93 93
1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 913 9147 945 945 945	Motor fuels, thermal expansion of.  Murray, C. N., S. F. Acree and, The use of saturated ammonium chloride in the elimination of contact potentials.  N  Napthenese. Navigation of aircraft in fog by radio. Neeland, Gerald Kent, Raymond Davis and, Variation of photographic sensitivity with different light sources.  —, An experimental study of several methods of representing photographic sensitivity. Nickel-chromium alloys, thermal expansion of. Nickel-chromium-iron alloys, thermal expansion of. n-hexane, cutectic, with methylcyclopentane. isolation of, from petroleum. physical properties of. Norton, K. A., G. W. Kenrick, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second. Nusbaum, G. W., E. O. Seaquist, H. L. Whittemore and, The relation of torque to tension for thread-locking devices. Nut locks, torque on. Nuts, plain and lock.  O  Octa-acetyl-4-glucosido-mannose. Optical rotation and atomic dimensions Optical rotation of the derivatives of mannose. Orifices, discharge coefficients of. cxperiments on. variation of pressure near.	713 600 143 498 1031 1033 799 907 907 1083 948 948 948 948 948 948 948 948
1,600 and 8,650 kilocycles per second  Kenrick, G. W., K. A. Norton, T. R. Gilliland and, Investigations of Kennelly-Heaviside layer heights for frequencies between 1,600 and 8,650 kilocycles per second	783 643 453 691 583 621 57 403 913 913 913 9147 945 945 945	Motor fuels, thermal expansion of	71:3 600 14:7 84:3 49:6 103:1 103:1 799 907 108:3 94:5 94:5 93 93 93 93

	Page	R	Page
Osculatory interpolation of the O. S. A. excitation data	85	Ra B+C Radiation from probe surfaces bombarded by	215
Oxidation, changes accompanyingOxide inclusions in steel	171 375	electrons	751
P		beacon pointer type, course indicator————————————————————————————————————	147 147
Paper, accelerated aging test for————————————————————————————————————	453 765	radiocombination runway localizer course indi-	147
Paper currency from highly purified wood fibers	765	Radio range tuned reed converter as course in-	147
wood fibers	765	dicator when flying on Radio receivers, automatic volume control for aircraft	147
mercial book Paper sizing effect on properties of paper	429 765	Radiotelephone combined with visual range beacon for the airways.	37 261
Paraffins, <i>n</i> -nonane from petroleum————————————————————————————————————	907	Radium emanation	215 215
chloride Permeability of concrete containing calcium	1147	pointer type course indicator for use with.	147
chloride plus miscellaneous materials Permeability of concrete containing finely	1147	Range of scattered electrons from Lenard tubes	57
subdivided materials  Permeability of concrete containing hydrated lime plus soaps	1147	Rasch, Royal H., Merle B. Shaw, and George W. Bicking, Highly purified wood fibers as	Ma m
Permeability of concrete containing miscel- laneous materials	1147	paper-making material , Accelerated aging test for paper Rates of corrosion, underground	765 <b>45</b> 3
Permeability of concerte containing no admixture	1147	Rayon yarns, relation between twist and certain properties of	617
Permeability of concrete containing soap Petroleum, chemical composition of	1147 607	Rays, cathode, measurement of Lenard, measurement of	57 57
distillation of methylcyclopentane in methylcyclopentane	851 799	Recorder, automatic, for Kennelly-Heaviside layer heights	783
n-nonane from Photochemical decomposition of silk, effect of	907	Rectifying columns of glass, bubble cap type- Rectifying columns of glass, packed column	851
pH on		Reflux regulators for laboratory stills	851 851
indices of variation of, with illumination	495 843	Reed, converter, application of, to 4 and 12 course radio range beacon————————————————————————————————————	147 147
Photographic sensitivity versus development time curves	843	design of	147 147
Photography Photography	495 811	use of, in blind flying and landing of air- craft	147
Physical constants of methylcyclopentane and ethylcyclobutanepH, effect of, on silk	799 1179	Reed indicators, theory of design and calibra-	195
Piezo oscillators, quartz plate mountings and temperature control for	583	Restoration of solarized ultra-violet transmit- ting glasses by heat treatment	357 219
Pipe-line corrosion, correlation of certain soil characteristics with	631	Roese, jr., F. W., Joseph D. White and, Isolation of normal nonane from a midcontinent	219
Pipes, corrosion of, underground	1 1	petroleum	907
Plastic flow of clays	1017 495	of carbon steels——————————————————————————————————	419
the vibrations of	519 697	the walls of pyrometer protection tubes at high temperatures	485
Potassium carbonate, determination of, in silver-plating solutions	913	molal heat capacities in aqueous solutions of 19 uni-univalent electrolytes	47
effect of, on Liebig titration————————————————————————————————————	913 913	—, The heat of formation of water and the heats of combustion of methane and carbon	
Potassium hydroxide, effect of, on Liebig titration	913	monoxide. A correction	329 93
nide titration  Potassium silver cyanide, composition of	913 913	Runway, use of reed converter in location of, in fog	147
Power factor of foreign and domestic micas Pressure regulator	403 851	S	047
Preparation of Ra B+C	215	Safety screw jointsSagger claysSaturated ammonium chloride in the elimin-	945 1017
ation from	751	ation of contact potentials, use of	713 827
silk	827	Scaling of heat-resisting alloys	1031
Pyrex flasks, silvering and evacuating	935	Schicktanz, Sylvester T., Johannes H. Bruun and, Laboratory rectifying stills of glass Schurecht ratio, cast stone	851 1067
Q		Silvering and evacuating Pyrex Dewar	935
Quartz plate mountings and temperature con- trol for piezo oscillatorsQuartz plates, some experimental studies of	583	flasks	935
the vibrations of	519	Whittemore and, The relation of torque to tension for thread-locking devices	945
chestnut and, by sulphuric acidQuenching media for steels	621 555	Semisteel, corrosion of, underground Sensitivity indices, photographic	$\begin{array}{c} 1 \\ 495 \end{array}$

	Tabe	1	rug
Shaw, Merle B., George W. Bicking, Royal H.		Taylor, Lauriston S., Measurement of Lenard	
Rasch and, Highly purified wood fibers as		rays	5
paper-making material		Temperature, effect of elevated, on micas	40
Shellac, determination of insoluble matter		Tension in bolts Tests for paper, accelerated aging	94
insoluble, determination of, by heated cru- cible method		Test for predicting the durability of var-	45
solubility of, in hot butanol	1105	nishes	7
in hot cellosalve	1105	Test, the photochemical embrittling test	7
Silk, effect of pH photochemical decomposi-		Testing, method of, absorption	114
tion of	1179	integral waterproofed concrete	114
Silver, determination of, in cyanide plating		permeability	114
solutions	913	strength surface waterproofed concrete	114 114
cyanide	913	Textiles, effect of pH on photochemical de-	114
Silver-ion concentrations	811	composition of silk	117
Silver-nitrate titration of alkali cyanide	913	Theory of design and calibration of reed indi-	
Silver-plating solutions, analysis of	913	cators	19
Silver, separation of, from cyanide plating	040	Thermal expansion of clays	101
solution.	913	Thermal expansion of gasolines	113
Silver-silver bromide electrode	811	Thermal expansion, heat-resisting alloys	103
Silvering and evacuating Pyrex Dewar flasks. Simultaneous radiotelephone and visual	935	iron-chromium alloys nickel-chromium alloys	103
range beacon for the airways	261	nickel-chromium-iron alloys	103
Smith, E. R., The determination of the coeffi-	-01	Thermocouple and filter method of ultra-	100
cient of cubical expansion of solid benzoic		violet radiometry with practical applica-	
acid by means of a gas-filled dilatometer	903	tions, a balanced	72
Snow, Chester, Elastic problem of a wire-	004	Thermomagnetic investigation of tempering	
wound cylinder	331	of quenched 0.75 per cent carbon steel	44
Sodium carbonate, determination of, in silver-	913	Thread-locking devices  Tool, A. Q., and R. Stair, The restoration of	94
effect of, on Liebig titration	913	solarized ultra-violet transmitting glasses	
Sodium cyanide, determination of	913	by heat treatment	35
Sodium hydrocide, effect of, on Liebig titra-	010	Torque on nuts	94.
tion	913	Tricalcium silicate, decomposition of, by	
Sodium silicate as quenching media for steels.	555	heat	898
Sodium-silver cyanide, composition of	913	Tucker. jr., John, G. W. Walker, and J. Ar-	
Soil characteristics, correlation of certain,	001	thur Swenson, The physical properties of	100
with pipe-line corrosion	631	cast stone	1067
Soil corrosion studies	585	U	
Solutions for the quenching of steels	555		
Specifications, cast stone	1067	Ultra-violet radiometry with practical appli-	
Spectra, absorption, of carotin and xantho-	100.	cations, a balanced thermocouple and filter	
phyll	171	method of	723
Spectra of Kr and Xe	453	Ultra-violet transmitting glasses by heat	
Speed, photographic	495	treatment, restoration of solarized	357
Stair, R., A. Q. Tool and, The restoration of		Underground corrosion	,
solarized ultra-violet transmitting glasses by heat treatment	357	v	
J. M. Hogue, W. W. Coblentz and, A	001		
balanced thermocouple and filter method of		Vacher, H. C., and Louis Jordan, The deter-	
ultra-violet radiometry with practical appli-		mination of oxygen and nitrogen in irons	
cations	723	and steels by the vacuum-fusion method	375
Standards of inductance, design of	289	Vacuum fusion method for gases in metals	375
Steel, carbon, thermomagnetic investigation	447	Vacuum-walled flasks	935
of tempering of quenched 0.75 per cent	441	Varnishes, test for predicting the durability	72
corrosion of, undergrounddetermination of cobalt and manganese in_	883	Velocity distribution of scattered electrons.	73 57
effect of carbon content on wear resistance.	419	Venturi meters, tests of	93
Steels, quenching media for	555	Vibrations of quartz plates, some experi-	•
Stills, efficiency tests of	851	mental studies of the	519
selection of	851	Volume control, automatic, for aircraft radio	
Stills with rectifying columns of glass	851	receivers	37
Stopcock lubricant for distillation of petro-	851	Volume correction factors for gasolines	1133
leum fractions	231	Volume, signal indication of, with tuned reed	
Durongon, Compressive, Or Cast Stone			
	1067	converter type radio range beacon course in-	147
of integral waterproofed concrete containing	1067		147
of integral waterproofed concrete containing calcium chloride		converter type radio range beacon course in-	147
of integral waterproofed concrete containing	1067	converter type radio range beacon course in- dicator	147
of integral waterproofed concrete containing calcium chloride————————————————————————————————————	1067	converter type radio range beacon course indicator	147
of integral waterproofed concrete containing calcium chloride	1067 1147 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of	
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials	1067 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone	147
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing	1067 1147 1147 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut	
of integral waterproofed concrete containing calcium chloride— of integral waterproofed concrete containing calcium chloride plus miscellaneous materials— of integral waterproofed concrete containing finely subdivided materials— of integral waterproofed concrete containing hydrated lime plus soaps—	1067 1147 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sul-	1067
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials. of integral waterproofed concrete containing finely subdivided materials. of integral waterproofed concrete containing hydrated lime plus soaps. of integral waterproofed concrete containing hydrated waterproofed concrete containing	1067 1147 1147 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sul- phuric acid	
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials	1067 1147 1147 1147 1147	w  Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sul-	1067
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing miscellaneous materials	1147 1147 1147 1147 1147 1147	www. J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone	1067 621 329 85 419
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps Strength, cross-bending, of cast stone	1147 1147 1147 1147 1147 1147 1147	www.lear, resistance to, of carbon steels.  Watter, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of  Wave-length computation, dominant  Wear, resistance to, of carbon steels  Weathering resistance of cast stone	1067 621 329 85
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps Strength, cross-bending, of cast stone Stresses in bolts	1147 1147 1147 1147 1147 1147	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone	1067 621 329 85 419
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps. Strength, cross-bending, of cast stone Stresses in bolts Stuart, D. M., R. B. Wright and, Some experi-	1147 1147 1147 1147 1147 1147 1147	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent	1067 621 329 85 419 1067
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps. Strength, cross-bending, of cast stone Stresses in bolts. Stuart, D. M., R. B. Wright and, Some experimental studies of the vibrations of quartz	1147 1147 1147 1147 1147 1147 1147 1067 945	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent petroleum.	1067 621 329 85 419 1067
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps Strength, cross-bending, of cast stone Stresses in bolts. Stuart, D. M., R. B. Wright and, Some experimental studies of the vibrations of quartz plates	1147 1147 1147 1147 1147 1147 1147 1067 945	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent petroleum.	1067 621 329 85 419 1067 907 791
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps Strength, cross-bending, of cast stone Stresses in bolts. Stuart, D. M., R. B. Wright and, Some experimental studies of the vibrations of quartz plates	1147 1147 1147 1147 1147 1147 1147 1067 945	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent petroleum.  White-light filters.  White light standard, N. P. L.	1067 621 329 85 419 1067
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing miscellaneous materials. of integral waterproofed concrete containing soaps. Strength, cross-bending, of cast stone Stresses in bolts. Stuart, D. M., R. B. Wright and, Some experimental studies of the vibrations of quartz plates. Sugars, structure of Swensen, J. Arthur, G. W. Walker, John Tucker, jr., and, The physical properties of	1147 1147 1147 1147 1147 1147 1147 1067 945	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent petroleum  White-light filters.  White light standard, N. P. L  Whittemore, H. L., G. W. Nusbaum, and E. O.	1067 621 329 85 419 1067 907 791
of integral waterproofed concrete containing calcium chloride of integral waterproofed concrete containing calcium chloride plus miscellaneous materials of integral waterproofed concrete containing finely subdivided materials of integral waterproofed concrete containing hydrated lime plus soaps of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing miscellaneous materials of integral waterproofed concrete containing soaps. Strength, cross-bending, of cast stone Strength, cross-bending, of cast stone Strength, cross-bending, of cast stone Structurt, D. M., R. B. Wright and, Some experimental studies of the vibrations of quartz platcs. Sugars, structure of Swensen, J. Arthur, G. W. Walker, John	1147 1147 1147 1147 1147 1147 1147 1067 945	Walker, G. W., J. Arthur Swensen, John Tucker, jr., and, The physical properties of cast stone.  Wallace, E. L., The hydrolysis of chestnut and quembracho tanned leathers by sulphuric acid.  Water, heat of formation of.  Wave-length computation, dominant.  Wear, resistance to, of carbon steels.  Weathering resistance of cast stone.  White, Joseph D., and F. W. Rose, jr., Isolation of normal nonane from a midcontinent petroleum.  White-light filters.  White light standard, N. P. L.	1067 621 329 85 419 1067 907 791

### Index to Volume 7

	Page	' X	
Wick, R. M., The analysis of cyanide silver-			Page
plating solutions	913	Xanthophyll, absorption spectra	171
Wilson, J. H., A new test for predicting the		Xanthophyll and carotin, visible and ultra-	
durability of varnishes (the photochemical		violet absorption spectra of	171
embrittling test)	73	Xenon hyperfine structures	453
Wintermute, G. H., F. G. Kear and, A si-	1	**	
multaneous radiotelephone and visual range beacon for airways	261	Y	
Wire-wound cylinder, elastic problem of a	331	Yarns, rayon, relation between twist and	
Wood fibers, highly purified, as a paper-	100	certain properties of	
making material	765	oction proportion distributions	021
Wright, R. B., and D. M. Stuart, Some experi-		Z	
mental studies of the vibrations of quartz			
plates	519	Zinc oxide, use of, in determinations of cobalt	
Wrought iron, corrosion of, underground	1	and manganese	883
04014 91 10			



(Cut here)

# SUPERINTENDENT OF DOCUMENTS,

Washington, D. C. Government Printing Office,

DEAR SIR: Send me the Bureau of Standards publications marked X below. I inclose remittance 1 to cover the cost.

	Amount Inclosed			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
0	Foreign countries	\$1.25	3. 50	3. 50	. 40	1. 20		
Price	United States, Canada, Cuba, Newfoundland, Republic of Panama	\$1.00	2. 75	2. 75	. 25	1.00		
	Title of publication	Commercial Standards Monthly (one year)	Bureau of Standards Journal of Research <sup>2</sup> (one year)	Blue buckram bound volumes 1 to 5 of above journal are now availableeach volume	Technical News Bulletin (one year)	Standards Yearbook, 1931	Total remittance	
	Mark X				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1		Send to

City and State (or County)\_\_\_\_\_\_ Number and Street.\_\_\_\_

<sup>&</sup>lt;sup>1</sup> Remittances should be either in the form of a post-office money order, coupons (issued for the specific purpose of purchasing Government publications), express money order, New York draft, or cash, at the sender's risk.

<sup>2</sup> This issue completes volume 7. Volume 8 will commence with the January (1932) issue. Your subscription should be submitted at once to insure starting with No. 1 of volume 8.

The state of the s

## BUREAU OF STANDARDS JOURNAL OF RESEARCH

### CONTENTS OF RECENT NUMBERS—Continued

### September, 1931 (Vol. 7, No. 3)—Continued

RP355. An experimental study of several methods of representing photographic sensitivity. Raymond Davis and Gerald Kent Neeland. Price, 10 cents.

RP356. Some experimental studies of the vibrations of quartz plates. R. B. Wright and D. M. Stuart.

RP357. Aqueous solutions of ethylene, glycol, glycerin, and sodium silicate as quenching media for steels. T. E. Hamill. Price, 15 cents.

RP358. Optical rotation and atomic dimensions-halogeno-tetra acetyl derivatives of manose. Their configurational peculiarities. D. H. Brauns. Price, 10 cents.

RP359. Seil-corrosion studies: Nonferrous metals and alloys, metallic coatings, and specially prepared ferrous pipes removed in 1930. K. H. Logan. Price, 10 cents.

RP360. Isolation and determination of the cyclohexane in a midcontinent petroleum. Johannes H. Bruun and Mildred M. Hicks-Bruun. Price, 5 cents.

### October, 1931 (Vol. 7, No. 4)

RP361. Relation between the twist and certain properties of rayon yarns. Homer A. Hamm and Richard S. Cleveland.

RP362. The hydrolysis of chestnut and quebracho tanned leathers by sulphuric acid. E. L. Wallace.

RP363. Correlation of certain soil characteristics with pipe line corrosion. I. A. Denison.

RP364. Further description and analysis of the first spectrum of krypton. Wm. F. Meggers, T. L. deBruin, and C. J. Humphreys. Price, 10 cents.

RP365. A correlated color temperature for illuminants. Raymond Davis.

RP366. Quartz plate mountings and temperature control for piezo oscillators. Vincent E. Heaton and E. G.

RP367. An improved audio-frequency generator. E. G. Lapham.

RP368. The porosity of electroplated chromium coatings. W. Blum, W. P. Barrows, and A. Brenner.

RP369. The use of saturated ammonium chloride in the elimination of contact potentials. C. N. Murray and S. F. Acree.

RP370. A balanced thermocouple and filter method of ultra-violet radiometry, with practical applications. W. W. Coblentz, R. Stair, and J. M. Hogue. Price, 10 cents.

RP371. Radiation from probe surfaces bombarded by electrons. F. L. Mohler and C. Boeckner.

### November, 1931 (Vol. 7, No. 5)

RP372. Highly purified wood fibers as paper-making material. Royal H. Rasch, Merle B. Shaw, and George W. Bicking.

RP373. Preliminary note on an automatic recorder giving a continuous height record of the Kennelly-Heaviside layer. T. R. Gilliland and G. W. Kenrick.

RP374. The relative spectral energy distribution and correlated color temperature of the N. P. L. white-light standard. Raymond Davis and K. S. Gibson.

RP375. Isolation and determination of methylcyclopentane in a midcontinent petroleum. Mildred M. Hicks-Bruun and Johannes H. Bruun.

RP376. The photographic emulsion; the silver ion-gelatin equilibrium. Burt H. Carroll and Donald Hubbard. RP377. A general formula for the computation of colorimetric purity. Deane B. Judd. RP378. Variation of photographic sensitivity with different light sources. Raymond Davis and Gerald Kent

RP379. Laboratory rectifying stills of glass. Johannes H. Bruun and Sylvester T. Schicktanz. RP380. The use of zinc oxide in determinations of cobalt and manganese. James I. Hoffman. RP381. The decomposition of tricalcium silicate in the temperature range, 1,000°-1,300° C. E. T. Carlson.

RP382. The determination of the coefficient of cubical expansion of solid benzoic acid by means of a gas-filled dilatometer. E. R. Smith.

RP383. Isolation of normal nonane from a midcontinent petroleum. Joseph D. White and F. W. Rose, jr.

RP384. The analysis of cyanide silver plating solutions. R. M. Wick.
RP385. Silvering and evacuating pyrex Dewar flasks. R. B. Scott, J. W. Cook, and F. G. Brickwedde.
RP386. The relation of torque to tension for thread-locking devices. H. L. Whittemere, G. W. Nusbaum, and E. O. Seaguist.

Research papers are available as separates for purchase from the Superintendent of Documents United States Government Printing Office, Washington, D. C.

# A monthly periodical of pure and applied science published by our National Government

# BUREAU OF STANDARDS JOURNAL OF RESEARCH

PUBLISHED AT WASHINGTON, D.C.

(With the July issue, the Journal began its fourth year and seventh volume. The Journal contains the bureau's research papers and critical reviews in the fields of science and technology. These will be comparable in interest and importance with the bureau papers already issued.

(Several hundred researches are always in progress at the Bureau of Standards and the outlet for the results is the "Bureau of Standards Journal of Research."

(If you are interested in following the latest developments in science and technology you need the Bureau of Standards Journal of Research. If you are a subscriber, renew your subscription promptly; if not, your subscription will be appreciated. Copies are limited and it is not always possible to supply back numbers.

### PRICES

	renewal)1 to Journal of Research
for United States,	, Canada, Cuba, Mexico, New
	Republic of Panama \$2.75*
	Volume 1, July to December, 1928 \$2.75* Volume 2, January to June, 1929 \$2.75*
	Volume 3, July to December, 1929 \$2.75* Volume 4, January to June, 1930 \$2.75* Volume 5, July to December, 1930 \$2.75*
1 Yearly subscription, 12 issues.	

Research papers (printed separately with durable paper cover and priced according to cost) see list of research papers on cover pages 2 and 3 of this issue.

> Address orders only to Superintendent of Documents Government Printing Office Washington, D. C.

The value of prompt and adequate news of the latest research result can not be measured by ordinary standards. They are permanent gainful assets for the expert. He can hardly afford to be without such basic sources



l'i

٠.١. ك



